

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060

F 202.293.7860

www.sughrue.com

**FAX**

Date April 13, 2004

To Examiner Phong H. Nguyen

Of United States Patent and Trademark Office

Fax 703-746-9449

From Brian W. Hannon/ Ruthleen E. Uy

Subject Proposed Amendment

Our Ref Q68157 Your Ref U.S. Appl. No. 10/053,007

Pages 3
(including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

REU

PROPOSED AMENDMENT

U.S. Appln. No. 10/053, 007

Attorney Docket No. Q68157

1. (currently amended): A structure of an end portion of a flat cable in which a plurality of juxtaposed conductors are sheathed and insulated, respectively, wherein the end portion of the flat cable has a stepped form so that end surfaces of at least adjacent ones of the conductors are positioned in different planes;

wherein no immediate adjacent ones of the conductors of the flat cable are in the same plane.

3. (currently amended): A method of processing an end portion of a flat cable in which a plurality of juxtaposed conductors are sheathed and insulated, respectively, the method comprising the step of:

cutting the end portion of the flat cable in a stepped form so that cut surfaces of at least adjacent ones of the conductors are positioned in different planes;

wherein no immediate adjacent ones of the conductors of the flat cable are in the same plane.

6. (currently amended): An apparatus comprising:
a flat cable in which a plurality of juxtaposed conductors are sheathed and insulated;
wherein an end portion of the flat cable is in a stepped form so that the end portion of at least adjacent ones of the conductors are positioned in different planes;

wherein no immediate adjacent ones of the conductors of the flat cable are in the same plane.

PROPOSED AMENDMENT
U.S. Appln. No. 10/053, 007
Attorney Docket No. Q68157

12. (new): An apparatus comprising:
a flat cable in which a plurality of juxtaposed conductors are sheathed and insulated;
wherein an end portion of the flat cable is in stepped form so that the end portions of at
least three conductors are positioned in different planes from immediate adjacent conductors.